Impinj MultiReader Software version 6.6.13

Release Notes

About this release

This is the Impinj MultiReader Software version 6.6.13 release for the Impinj RAIN RFID Readers (Speedway® Revolution R220 and R420) and Gateways (xPortal R640). Impinj MultiReader Software does not support xArray (xArray R680) gateway.

For technical support, contact Impinj:

Email: support@impinj.com

Web: http://support.impinj.com

Supported regions of operation

Impinj readers and gateways have been certified for use in multiple regions and geographies. A list of supported regions and geographies is available online: www.impinj.com/supported_regions

Application Compatibility

Application	Version
Octane Firmware	5.6.0.240

New Features and Changes

Version 6.6.13

- Data capture now disabled by default

Version 6.6.12

- Added support for Reader Mode 1002
- Added support to recognize Monza R6, R6-P, and S6-C tags

Copyright © 2015, Impinj, Inc.

Version 6.6.11

- Support for Peru 916-928 MHz has been added and can now be seen in the “Operating Region” drop down list.

Resolved Issues

Version 6.6.13

- None

Version 6.6.12

- None

Version 6.6.11

- None

Known Issues

- xArray gateways are not supported; please use Impinj ItemTest software available at Impinj Support Portal (https://support.impinj.com)
- Misleading “Connection Refused” error message received when Antenna Hub is enabled in MultiReader configuration screen and no antenna hub is connected
- The Help file needs to be updated to reflect the latest capabilities of the software
- “Test Time” field is not accurate

Copyright © 2015 Impinj, Inc.

Notices:

Copyright © 2015, Impinj, Inc. All rights reserved.

Impinj gives no representation or warranty, express or implied, for accuracy or reliability of information in this document. Impinj reserves the right to change its products and services and this information at any time without notice.

EXCEPT AS PROVIDED IN IMPINJ'S TERMS AND CONDITIONS OF SALE (OR AS OTHERWISE AGREED IN A VALID WRITTEN INDIVIDUAL AGREEMENT WITH IMPINJ), IMPINJ ASSUMES NO LIABILITY WHATSOEVER AND IMPINJ DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTY, RELATED TO SALE AND/OR USE OF IMPINJ PRODUCTS INCLUDING LIABILITY OR WARRANTIES RELATING TO FITNESS FOR A PARTICULAR PURPOSE, MERCHANTABILITY, OR INFRINGEMENT.

NO LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE, TO ANY PATENT, COPYRIGHT, MASK WORK RIGHT, OR OTHER INTELLECTUAL PROPERTY RIGHT IS GRANTED BY THIS DOCUMENT.

Impinj assumes no liability for applications assistance or customer product design. Customers should provide adequate design and operating safeguards to minimize risks.

Impinj products are not designed, warranted or authorized for use in any product or application where a malfunction may reasonably be expected to cause personal injury or death or property or environmental damage ("hazardous uses") or for use in automotive environments. Customers must indemnify Impinj against any damages arising out of the use of Impinj products in any hazardous or automotive uses.

Impinj, Monza, AutoTune, TagFocus, FastID, Enduro, Integra, ItemEncode, ItemSense, xArray, xPortal and Monza Self-Serialization are trademarks of Impinj, Inc. All other product or service names are trademarks of their respective companies.

These products may be covered by one or more U.S. patents. See www.impinj.com/patents for details.

www.impinj.com